Plastic adaptor plates LC duplex type MM

PN: FPT1-22-92

Overview

Plate Dimension
130mm*29mm

Adapter Type
LC Duplex Multimode

Material
1.5mm Steel, Powder-coated

Color
RAL9005 BLACK

Package
Bio degradable Plastic Bag

Description

Flaax Adapter plates are for use with modular patch panels.
Blank and empty plates are also available for unused

Plastic adaptor plates LC duplex type MM

PN: FPT1-22-92

Specifications

Number of Adapters	2-12 Port
Plate Dimension(L*H)	130mm*29mm
Panel Connector	SC LC FC ST
Type	92
Material	1.5mm Steel, Powder-coated
Color	RAL9005 BLACK
Certification	RoHS
Storage Temperature	-45~+65℃

Features

Modular design for easy access	Up to 12 adapters per plate (LC DX)
Easy clip-in installation	LC, SC, ST, FC adapters
Cold-rolled steel	High quality finish

Application

Data and server racks
FTTx
Telecommunications

Photos



Related Products

Part Number	Product Description	Product Datasheet
FP24-1-12-92	**Patch Panel Copper/fiber (customized)** https://flaaxcables.com/go/patchpanelcopperandfiber	
FM3-12-92	**12 Port splicig cassette (wich take 92- modules)** https://flaaxcables.com/go/12-port-splicig-cassette	

Flaax is offering a robust selection of passive networking equipment designed to build reliable and scalable infrastructures. Our products are engineered for excellence, ensuring seamless connectivity and long-term performance for businesses and individuals alike.